


INDEX MAPS.

T. 4 N R. 3 W 2nd Mer.



T. 5 N R. 3 W 2nd Mer.

| | 295-298 | 296-298 | 296-298 | 296-297 | 296-297 | 297 |
|-----|-----------|-----------|-----------|------------|-----------|------------|
| 300 | 6 319 | 5 319 | 4 316 | 312 315 | 3 311 | 308 308 |
| 300 | 7 320 | 8 319 | 9 315 | 10 311 | 11 307 | 303 303 |
| 299 | 18 320 | 17 317 | 16 314 | 15 310 | 14 306 | 302 302 |
| 299 | 19 321 | 20 317 | 21 314 | 22 310 | 23 306 | 302 301 |
| 299 | 30 321 | 29 317 | 28 313 | 27 309 | 26 305 | 301 301 |
| 298 | 31 321 | 32 316 | 32 312 | 33 308 | 34 304 | 35 304 |
| | 291-293 | 291-293 | 291-293 | 291-292 | 291-292 | 292 |

(*) The figures on the lines refer to the page.

Township N. 4 North of Range N. 3 West of the P. Mar. Sec
ch. I. b. 1.

South Boundary

| | |
|-------|---|
| West | On the South Boundary of sec. 36. T. N. 4 M.R. 37 N. |
| 40.00 | Set a post for the cor. to $\frac{1}{4}$ sec. from which a Basswood 5 in. dia. bears N 63 E. 8 rods west; and a Do. 8 " " " N 66 1/2 W. " |
| 79.50 | Intersect the N & S line |
| 80.00 | Set a post for the cor. of sec. 35. & 36. T. N. 4 M.R. 37 N. from which a Hickory 8 in. dia. bears N 60 1/2 W. 16 rods and a Do. 11, " " N 52 |
| | Sands level soil good. Timber Oak, Beech, Ash Sugar &c |

| | |
|-------|---|
| West | On the South Boundary of sec. 35. T. N. 4 M.R. 37 N. |
| 20.00 | Sands same as above |
| 40.00 | Set a post for the cor. to $\frac{1}{4}$ sec. from which a Hickory 10 in. dia. bears East 28 miles west; and a Do. 14, " " N 77 1/2 W. 48 " |
| 61.00 | To a Brook 10 miles west, coarse S. W. Poor hill land |
| 79.40 | Intersect the N & S line |
| 80.00 | Set a post for the cor. of sec. 34 & 35. T. N. 4 M.R. 37 N. from which a W. Ash 12 in. dia. bears N 25 E. 12 rods west and a Do. Do. 10, " " S 11 E. 15 " |
| | Sands stony poor. Hills Timber Oak, Beech, &c. |

| | |
|-------|--|
| West | On the South Boundary of sec. 34. T. N. 4 M.R. 37 N. |
| 11.00 | To a Brook 12 rods west, coarse S. W. Poor hill land |
| 40.00 | Set a post for the cor. to $\frac{1}{4}$ sec. from which a Beech 18 in. dia. bears S 27 W. 46 rods west; and a Sugar 10, " " N 16 E. 28 " |
| 50.00 | Fine rate level hill land. |
| 79.12 | To the left Bank of White River. set a post for the cor. of sec. 34. T. N. 4 M.R. 37 N. from which a Sugar 16 in. dia. bears S 15 1/2 W. 10 rods west; and a |

I. N. 4. M. R. N. 3 T. P. 2ⁿ. M. M. I. S.

and a Sugar 10 in. dia. bears N 56 E. 17 links dist;
Good bottom lands; Elm slashes. Timber Oak, ash,
Sugar, Beech, etc

80.00 On the West side or Right Bank of White River
Cor of sec. 33 134.

West On the South Boundry of sec. 33. I. N. 4. M. R. 3 T. P.

40.00 Set a post for the cor. to 1/4 sec. from which a
Beech. 10 in dia. bears N 74 W. 32 links dist; and a
Loc. 10, " " S 66 E. 21, "

02.75 To a Brook. 7 miles west, Course South.

75.00 Middle part of hill land.

79.00 Interceted the N. & S. line.

80.00 Set a post. for the cor. of sec. 32 133. I. N. 4. M. R. 3 T. P.
from which a Sugar. 13 in. dia. bears N 66 W. 12 links dist
and a Beech. 13, " " N 82 E. 24, ".
Good bottom lands; Timber Beech, Oak, Sugar, etc

West On the South Boundry of sec. 32. I. N. 4. M. R. 3 T. P.

7.86 To a Creek. 150 miles west, Course S.E.

32.46 To the Right Bank of White River. fine bottom lands

40.65 On to the Left, " " "

74.11 Cross a Bend of White River. High rate, bottom land
Timber Beech, Sugar, etc.

80.00 Cor. of sec. 31 137 in White River.

West On the South Boundry of sec. 31. I. N. 4. M. R. 3 T. P.

2.00 To the Right Bank of White River. Set a post from which a
Red Cedar 10 in dia. bears S 28 E. 12 links dist; and a
Lynn 13, " " N 67 W. 24, "

40.00 Set a post for the cor. to 1/4 sec. from which a
Beech. 14 in. dia. bears N 46 E. 8 links dist; and a
Hickory 14, " " N 88 W. 28, "

255

S. N. 4. M.P. N. 377. D. n. No. Ind.

| | |
|-------------------------------|---|
| 40.00 | Rolling Hill lands to bottom |
| 65.00 | To a break 30 miles wide, Come North Goods bottom |
| 79.10 | Turn east the Range line 21 miles South of the Penn Co. Goods bottom Lands; Timber Beach, Oak, ash, etc. |
| <hr/> | |
| North | Return Ls. 24.135 S. N. 4. M.P. N. 377. |
| 5.06 | To a rocky 18 in. mts. in the line. |
| 6.50 | To a break 8 miles wide, Come West |
| 40.00 | Set a post for the cor. to p. 24. from which a Brick 18 in. dist. bears N 22° E. 23 miles west to Llo. 12., " " \$45 E. 10 " " |
| 47.00 | Buck hill lands to bottom |
| 75.60 | To a Sycamore 60 in. dist. Stands in the line |
| 79.20 | To the Left Banks of White River & set a post from which Sugar 14 in. dist. bears S 88° W. 10 miles west to Llo. 10., " " \$50 E. 20 " " |
| Sand goods bottom | |
| Offset back & East; then run. | |
| <hr/> | |
| East | Return Ls. 24.135 S. N. 4. M.P. N. 377. |
| 10.00 | To Buck. bottom. |
| 40.00 | Set a post for the cor. to 1/4 ac. from which a Rocky 18 in. dist. bears N 23° E. 46 miles west to Llo. 12., " " \$30 W. 28 " " |
| 46.00 | Soak Brook. 12 miles wide, Course N 70° W. |
| 48.00 | Turn. 200 miles to the South a Large Sulphur Spring. so strong as to impregnate the air 300. or 400 yards. |
| 73.00 | Turn east the Indian Boundary line and set a post for the cor. of Ls. 24.135 from which a Rock 10 in. dist. has N 83° E. 17 miles west; and a Llo. 10., " " \$85 W. 38 " " |
| Sand goods. Buck. hills. | |

T. N. 4. R. R. R. 3 M. Dⁿ Mer. Ind.

- North Between Ls. 35 & 36. T. N. 4. R. R. R. 3 M.
 27.03 To a Bush. 14 in dia. Stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Bush 10 in. dia. bears S 29 E. 24 mts.耽; to
 Llo. 11. " " North 8. "
 50.21 To a Bush. 18 in. dia. in the line.
 77.64 Intercept the Indian Boundary line and set a post
 for the cor. of sec. 35 & 36. from which a
 Bush 8 in. dia. bears N 47 W. 13 mts.耽; to
 Llo. 16. " " South 20. "
 Land high hills; Smibw Oak, Buck, etc.

- North On the East R. end of Sw. 36 T. N. 4. R. R. R. 3 M.
 12.00 To a Brook 12 miles wide. Come East.
 30.32 To a dugout. 14 in dia. Stands in the line.
 40.80 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Dugout. 12 in. dia. bears N 13 E. 15 mts.耽; and a
 Llo. 18. " " S 42 W. 44. "
 51.32 Intercept the Indian Boundary line and set a post for
 the cor. of sec. 36 from which a
 Bush. 18 in. dia. bears S 35 W. 9 mts.耽; and a
 Llo. 17. " " N 18 W. 40. "
 Muddling soil of hill lands. Smibw Oak, Buck, Sycamore

- East From the cor. of sec. 35 & 36. T. N. 4. R. R. R. 3 M.
 Then East in the Old line.
 31.00 To a small drain. Come North.
 83.94 To post cor. of sw. 36. T. N. 4. R. R. R. 3 M.
 Land high steep hill. Stony to, Smibw Oak, Buck, etc.

Set a post for the cor. to $\frac{1}{4}$ sec. at the over. meadows on the
 above line, from which a
 W. Walnut 7 in. dia. bears S 59 W. 12 mts.耽; and a

257

I. N. 4. N. R. N. 3 W. 2nd. Mer. Ind.

| | |
|-------------|---|
| | Bush 12 mi. due bears N 71° E. 17 miles west; or From the cor. of sec. 35 & 36. I. N. 4. N. R. N. 3 W. Westwardly in Old line |
| 7.23. | To the post at the end of line between Sec. 26 & 35 |
| 45.50 | To a Brook 10 miles north, course S. E. E. |
| 41.92 | Set a post for the cor. to 1/4 sec. From which a Bush. 11 mi. due bears S 62° T. 3 miles west; and a Sec. 10 " " N 62° E. 3 " |
| 67.97 | To old post marked 45. |
| 70.30 | To the Left Bank of White River & set a post from which a Sugar 10 mi. due bears S 37° W. 10 miles west; and a Sec. 13 " " S 13° E. 8 " |
| | Good Bush, hill land. |
| | From the last named post run the following courses on the Left Bank of White River. |
| \$24 W. | at 13.00 ch. a Brook. 50. sec. miles, |
| \$55 W. | 5. 15 To the post in line of sec. 34. 135. I. N. R. N. 3 W. thence in Sec. 34 |
| \$53 W. | 9.00 |
| \$74 W. | 20.00 |
| \$62 W. | 8.00 |
| \$72 W. | 11.00 |
| \$50 W. | 24.00 In Sec. 34 |
| \$17 W. | 25.00 |
| \$35 W. | 15.00 |
| \$23 E. | 7.00 |
| \$60 1/2 C. | 6.05 To the South Branch office. 34. I. N. 4. N. R. N. 3 W. |

| | |
|-------|--|
| North | Between Sec. 32 & 33. I. N. 4. N. R. N. 3 W. |
| 3.75 | To a Bush 12 mi. due. in the line |
| 11.00 | To Bush bottom. |
| 38.15 | To a sugar 12 mi. due. in the line. |

P. N. 4. A.R. N. 3 M. 2nd Nov. Ind.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck. 13 in dia. bears S27° 45' North dist; and a
Poplar 36" " South 38, " "
- 80.00 Set a post for the cor. of sec. 28, 29, 33, 134 from which a
Sugar 10 in dia. bears S59° E. 20 miles dist; and a
Buck 16" " N47° 10 " "
Poor Step hills; Limbu Oak & Buck.

- North Return Sec. 28 & 29 I. N. 4. A.R. N. 2 M.
25.00 To a Brook. 140 miles mid, Come Marsh.
31.86 To a Hickory 20 in. dia. stands in the line
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Marsh. 20 in. dia. bears S89° 00' North dist; and a
Hickory 22" " N16° 15 " "
60.49 To a Buck. 20 in. dia. in the line.
65.00 To a Brook. 157 miles mid Course S.E.
78.60 Into set the Indian Boundary line and set a post
for the cor. of sec. 28 & 29. from which a
Buck 10 in. dia. bears N10° E. 19 miles dist; and a
Loc. 16" " S18° 13 " ".
Sand soil, good quality; Limbu % Buck,

- North Return Sec. 33, 134 I. N. 4. A.R. N. 3 M.
21.08 The line runs in White river.
35.00 Bottom lands Limbu % Buck.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck. 12 in. dia. bears S79° E. 15 miles dist; & a
Loc. 14" " S85° 21 " "
48.74 To a Poplar. 17 in. dia. in the line.
59.00 Over point of hill to a Brook 4 miles mid, Come S.E.
68.78 To a Sugar. 20 in. dia. in the line.
80.00 Set a post for the cor. of sec. 27, 28, 33, 134 from which a
Buck 7 in dia. bears S60° 47' North dist; & a

S. N. 4. N. R. N. 3 W. 2nd Mer. Secd.

Beech 9 in. diam. bears N 41 E. 38' into drift;
Good Beech, 2nd bottom. Some Sugar Oak &c.

| | |
|-------|--|
| East | On a Random line between Sec. 28. 133. T. N. 4. N. 3 W. |
| 35.00 | Poor hill land. |
| 80.00 | Intersect the Ad. S. line at the post cor. of sec. 27. 28. 33. 134 Good Beech lands of good quality. |
| North | Between Sec. 27. 28. T. N. 4. N. 3 W. |
| 10.64 | To a N. Oak 24 in. diam. in the line. |
| 25.00 | " " Brook 7 miles west, corner N.E. |
| 40.00 | Set a post for the cor. to 1/4 sec. from which a Dogwood 6 in. diam. bears S 29 E. 6' into drift; to Poplar 28. " " North 3 " " |
| 43.61 | To a Beech 14 in. diam. in the line. |
| 52.00 | Intersect the Indian Boundary line & set a post for the cor. of sec. 27. 128. From which a Beech 27 in. diam. bears N 33 W. 19' into drift; to 10. 14 " " S 17 E. 30. " |
| | Points of hills, middling soil. Timber Oak, Beech Hickory, Sugar, Birch &c. |
| West | On the Indian Boundary line. North Boundary of sec. Section 28. T. N. 4. N. 3 W. |
| 29.00 | To a Brook 12 miles west, corner SW. High divide, ridge. poor soil. |
| 41.92 | Set a post for the cor. to 1/4 sec. from which a Beech 9 in. diam. bears S 79 W. 15' into drift; and a Qu 14. " " S 32 E. 13. " |
| 83.89 | To the post cor. of sec. 28. 129. Land lies on low ridge Good soil |
| East | Between Sec. 27. 134. T. N. 4. N. 3 W. |

S. N. 4. N. R. N. 3. W. 2nd Mer, Ind.

- | | |
|-------|---|
| 40.00 | Set a post for the cor. to 1/4 sec. from which a W. Ath. 18 in. dia. beam \$37.12 hutes due; & a Buck 12. " " N47E. 20. " |
| 44.00 | Good soil of Buck. hill lands. |
| 53.00 | To a Brook 40 links wide, Course South. |
| 67.50 | To the Right Bank of White River. Good bottom land Intra Buck. Sugar do |
| 79.92 | Intersection the N. & S. line at the post cor. of sec. 26 & 27. 34 135. S. N. 4. N. R. N. 3 W. |

North Between Sec. 26 & 27 S. N. 4. N. R. N. 3 W.

- | | |
|-------|--|
| 8.40 | To the Right Bank of White River. |
| 24.80 | Intersected the Indian Boundary line & set a post for the cor. of Sec. 26 & 27. S. N. 4. N. R. N. 3 W. from which a Buck 12 in. dia. beam \$43.44 links due; and a do. 7. " " \$12.77.4 " " |
| | Land Buck. Bottom from this post on the Old line to White River 8.50 ch. |

West On the Indian Boundary line, N Boundary of sec.

- | | |
|-------|--|
| | 27. S. N. 4. N. R. N. 3 W. |
| 10.00 | Bottom same as above |
| 31.00 | To a long Spring course South. |
| 34.00 | To a Brook 16 links wide, Course South. |
| 41.92 | Set a post for the cor. to 1/4 sec. from which a Sugar 8 in. dia. beam \$16.77.17 links due; & a Buck. 14. " " N72E. 20. " " Land steep hills, poor soil. |
| 83.88 | Set a post for the cor. of sec. 27 & 28. S. N. 4. N. R. N. 3 W. Land low Buck. ridges poor. Soil: |

Corrected the line between Sec. 28.133. S. N. 4. N. R. N. 3 W.
Set a post at the av. dist. in the true line for the cor.

I. N. 4. N. R. No 3 W. 3rd Mer. Ind.

to $\frac{1}{4}$ ac. from which a
Buck. 7 in. dia. bears \$68 W. 14 miles west; & a
Loc. 14, " " N36 E. 41 " "

| | |
|-------|---|
| North | Between Sec. 31 & 32 I. N. 4. N. R. No 3 W. To the Right Bank of White River. |
| 1.20 | To a Gum 12 in. dia. Stands in the line. |
| 27.30 | To a Gum 12 in. dia. Stands in the line. |
| 40.00 | To a Bl. Oak 30, " " " " for the cor. to $\frac{1}{4}$ ac. from which a Willow. 14 in. dia. bears \$42 E. 27 miles west; & a W. Ash. 15, " " N33 W. 24 " " |
| 62.81 | To a Hick. 11 in. dia. Stands in the line. |
| 80.00 | Set a post for the cor. of sec. 29, 30, 31 & 32 from which a W. Oak. 20 in. dia. bears N62 E. 21 miles west; & a Loc. 17 " " \$68 W. 46. " High Hill Land; midling soil; Timber, Oak, Hick., Walnut, &c. |

| | |
|-------|---|
| East | Between Sec. 29 & 32 I. N. 4. N. R. No 3 W. |
| 21.00 | Soil & land as before to the bottom |
| 75.00 | To a Creek. 1400 yards, Anna South. |
| 80.00 | Intersect the N & S line 12 miles North of the post cor. of Sec. 28, 29, 32, 33. |
| | Bottom lands of a good quality Timber, Buck, Oak Sugar & r |

| | |
|-------|---|
| West | Decorated the line between Sec. 29 & 32 I. N. 4. N. R. No 3 W. |
| 40.00 | Set a post for the cor. to $\frac{1}{4}$ ac. at the cor. dia. on the true line from which a Buck. 11 in. dia. bears N15 W. 27 miles west; and a Loc. 15, " " \$8 E. 27 " " |
| | |

| | |
|-------|---|
| North | Between Sec. 29 & 30 I. N. 4. N. R. No 3 W. |
| 40.00 | Set a post for the cor. to $\frac{1}{4}$ ac. from which a |

262

J. N. H. A. K. N. 3. W. 2nd Mer. Ind.

- Buck. 13 in. dia. bears N 10° W. 46 miles due; & to
Co. 7, " " S 78° E. 41 " "
Lands poor brushy knobs
40.95 To a sugar 14 in. dia. in the line.
43.00 To a Creek 40 miles due, dense Oak
80.00 Set apart for the cor. of sec. 19, 20, 29 & 30 from which
a sugar 10 in. dia. bears N 58° E. 39 miles due; & a
Buck 9, " " S 13° E. 34, "
Good hill and bottom lands. Some Buck, Oak & sugar

North Between Sec. 19 & 20 J. N. H. A. K. N. 3 W.

- 25.00 Interscet the Indian Boundary line; & set a post
for the cor. of sec. 19 & 20 from which a
W. Oak 17 in. dia. bears N 28° E. 45 miles due; & to
Co. 14, " " N 57° W. 59, "
Brushy hill lands middling soil; some Oak &

East Between Sec. 20 & 29 J. N. H. A. K. N. 3 W.

- 40.00 Set apart for the cor. to 1/4 sec. from which a
Buck. 9 in. dia. bears N 62° E. 20 miles due; and a
Co. 17, " " N 40° W. 34, "
Interscet the Indian Boundary and set a post for the
cor. of sec. 20 & 29 from which a
Buck 14 in. dia. bears S 12° W. 14 miles due; and a
Co. 10, " " N 44° W. 43, "
Lands steep hills middling soil on the last 15 ch.
Balance land & rate hill lands; Some Buck, sugar,
Ash, &c.

West On the Indian Boundary line N 13° W. of sec. 29, 2nd
J. N. H. A. K. N. 3 W.

- 3.00 To a Creek 40 miles due, dense S.
5.40 To post on cor. of sec. 20 & 29. J. 4 N. R. 3 W.

T. N^o. 4. S. R. N^o. 3 W. 2nd Mer., Ind.

- 41.92 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck. 24 in. dia. bears \$4177.15 bulk ash; to
No. 13 " " \$108.22 "
- 83.93 To the post cor. of Sec. 19 & 20. T. N^o. 4. S. R. N^o. 3 W.
Sands, hilly, under middling soil. Limon Clark,
Buck. &c.

- West On the Indian Boundary on the N Boundary of Sec. 19
T. N^o. 4. S. R. N^o. 3 W.
- 12.70 To a post numbered 41.
- 41.92 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck. 13 in. dia. bears \$278.35 bulk ash; to
No. 10 " " \$1308.18 "
- 84.00 Set a Random post. Sands hilly, soil not very
good; Limon Clark, Buck, & Organ wood.

- West Between Sec 19 & 30 T. N^o. 4. S. R. N^o. 3 W.
- 11.00 Hill lands to bottom.
- 24.00 To a Brook 30 miles mid, Limer St.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sassafras 5 in. dia. bears \$618.11 bulk ash; to
No. 7 " " \$6677.13 "
- 64.50 To a Brook 7 miles mid, Limer St. E.
- 80.00 Set a Random post. Sands hilly, soil mid-
dling quality. Limon Clark, Buck, Sugardoc.

- West Between Sec 30 & 31 T. N^o. 4. S. R. N^o. 3 W.
- 5.00 To bottom
- 22.00 To a Brook 20 miles mid, Limer St.
- 29.00 To bottom, rather low.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugar 10 in. dia. bears \$8577.29 bulk ash; to
No. 10 " " \$778.18 "

S. N. 4 N.R. N. 3 W. 2nd Mar. (Ind.)

80.00 Set a trumpet post. Fine hill lands; timber Sugar Nut, Oak so.

North On the East Boundary of Sec. 36. S. N. 4 N.R. N. 4 W.

28.77 To a B. Oak 18 in. dia. in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
B. Oak. 10 in. dia. bears S 8 E. 49 mts. due S; &
B. Oak. 10 " " N 29 W. 74 "

79.82 Intercepted the E & W line 108 links East of the
trumpet post. and set a post for the cor. of sec.
30. & 31. S. N. 4 N.R. N. 3 W. from which a
Sugar. 12 in. dia. bears S 23 W. 42 mts. due S; &
L. O. 16 " " N 77 E. 31 "

80.00 Set a post for the cor. of sec. 25 & 36. S. N. 4 N.R. N. 4 W
from which a Beech. 4 in. dia. bears S 50 W. 40 mts. due S;
and a L. O. 4 " " N 44 E. 13 "

Madding soil of hill lands. Santa Oak Beech, Sugars

North On the East Boundary of Sec. 35. S. N. 4 N.R. N. 4 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Hognwood 4 in. dia. bears S 72 E. 44 mts. due S; &
L. O. 4 " " N 82 E. 42 "

44 & 44 To a Hick. 14 in. dia. in the line.

63.00 " " Brook of the side, Conne Co.

68.10 To a Beech 14 in. dia. in the line.

79.67 Intercepted the East & W. line 80 links East of the
trumpet post; & set a post for the cor. of sec 19 & 30. S.
N. 4 N.R. N. 3 W. from which a
Hick. 14 in. dia. bears N 29 W. 40 mts. due S; &
W. Oak 36 " " S 62 E. 13 "

80.01 Set a post for the cor. of sec. 24 & 25 S. N. 4 N.R. N. 4 W.
from which a Hick. 14 in. dia. bears N 81 W. 11 mts. due S;
and a B. Oak 16 " " S 41 E. 31 "

265

I. N^o 4. P.R. N^o 3 N. 2nd Mer. (Ind.),

Sands hilly meadowing Soil. Smits Oak, Hickory.

- North On the East Boundary of sec. 24. I. N^o 4. P.R. N^o 4 N.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beech 16 in dia. bears S48°W. 50 links dist; & a
Loc. 14 " " N42°E. 18 " "
57.13 Intersect the Indian Boundary line and set a
post. for the cor. of sec. 24. I. N^o 4. P.R. N^o 4 N.
from which a N. Oak 10 in. dia. bears N77°W. 28 links dist; and a
Loc. 18, " S79°E. 53, "
Sands steep hills; thin soil, Smits Oak, Beech, or
Hickory. The above named post stands 88 links East
of the Random post.

Meadow of the Left Bank of White River in Sec.
32. Began in the South Boundary of sec. 32 then upstream
I. 49 N 7.00
I. 75 N 10.00
I. 75 N 8.32
S. 54. W. N. 8.65 To post on line
Nov. 25. 1804.

Surveyed by
Geo. Barker. L.S.

I. N^o 4. P.R. N^o 3 N. 2nd Mer. In Hoanis's Purchase
East Boundary. \$27.

- North On the East Boundary of sec. 36 I. N^o 4. P.R. N^o 3 N.
40.00 To old $\frac{1}{4}$ sec. cor.
66.50 To a Gum 12 in. diam. stands in the line
Set a post for the cor. of sec. 25 & 36. from which a
Beech 10 in. dia. bears S8°W. 43 links dist; and a
Loc. 12, " Sout^h 27, "

J. N. 4. M.P. N. 3 W. 2nd Mer. Ind.

| | |
|-------|--|
| North | On the East Boundary of sec. 25 J. N. 4. M.P. N. 3 W. |
| 27.00 | To a Brook 10 links wide, bearing N. |
| 40.00 | Set a post for the cor. to $\frac{1}{4}$ sec. from which a W. Oak - in dead trees S 62 E. 6 links dist; & a Birch 6 " " N 15 E. 9 " |
| 58.00 | Set a post on the Left Bank of White River for the cor. of tract. sec. 25 from which a W. Ash 10 in. diam. bears S 51 W. 12 links dist; and a Sugar 10 " . N 51 E. 17 " |
| | Good farming lands; Tinted Oak, Sugar, Poplar, W. J. Elm. |
| 63.86 | To the Right Bank of White River a W. Ash, 20 in. near strands for the cor. of sec. 25. |
| 80.00 | Set a post for the cor. of sec. 24 & 25. J. N. 4. M.P. N. 3 W. from which a Beech 12 in. diam. bears S 10 E. 23 links dist and a Sycamore 60 " " North 8 " " |

| | |
|-------|---|
| North | On the East Boundary of sec. 24. J. N. 4. M.P. N. 3 W. |
| 40.00 | Set a post for the cor. to $\frac{1}{4}$ sec. from which a Bogwood 6 in. diam. bears N 41 W. 6 links dist; & a Beech 12 " " East 5 " |
| 44.00 | Set a post on the Right Bank of White River cor. of sec. 24 J. N. 4. M.P. N. 3 W. from which a Sycamore 8 in. diam. bears S 16 W. 17 links dist; and a Set a post on the Right Bank of White River. cor. of sec. |
| 76.00 | 24. J. N. 4. M.P. N. 3 W. from which a Walnut 10 in. diam. bears S 72 W. 19 links dist; and a Red Bud 6 " . N 40 E. 15 " |
| 80.00 | Set a post for the cor. of sec. 13 & 24 from which a Beech 10 in. diam. bears South 11 links dist; and a Loc. 10 " . N 15 E. 13 " " Lands rich; Tinted Birch, Sugar, & Poplar. |

J. N^o. 4 N.P. N^o. 3 W. 2nd Mer. Secd.

- North On the East Boundary of sec. 13. J. N^o. 4 N.P. N^o. 3 N.
33.45 To a Bush. 20 m. dist. stands in the line
40.00 Set apart for the cor. of $\frac{1}{4}$ sec. from which a
Beech. 12 m. dist. bears S11E. 17 links dist; &
Do. 6 " " N18E. 16 " "
80.00 Set apart for the cor. of sec. 12 & 13. From which a
Sugar. 10 m. dist. bears W27N. 39 links dist; &
Bush 12, " " N12W. 30 " "
Sand hills timber same as on the last mile

- North On the East Boundary of sec. 13. J. N^o. 4 N.P. N^o. 3 N.
40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
W. Oak. 10 m dist. bears S47E. 13 links dist; & also
Do. 18 " " S62W. 11 " "
61.60 To a W. Oak. 20 m. dist. in the line.
80.00 Set apart for the cor. of sec. 12 & 13 from which a
W. Oak. 5 m dist. bears S31E. 6 links dist; &
Do. Do. 5, " " N89W. 10 " "
Sand hills timber Oak, & Hick., some Poplar & Beech.

- North On the East Boundary of sec 1. J. N^o. 4 N.P. N^o. 3 N.
5.57 To a Bush 18 m dist. in the line.
40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a maple
cor. on a Beech. 10 m. dist.
62.07 To a W. Oak 12 m. dist. in the line.
85.00 Set apart for the cor. of Towns 4, 4 & 5. N.P. N^o. 3 N.
From which a Beech. 10 m. dist. bears S70E. 13 links dist; &
also a Maple 10 " " N28E. 30 " "
Sand soil and timber same as on the last mile.

North Boundary

144

- East On a Random line on the South Boundary of sec. 31. J. N^o. 4 N.
Range N^o. 3 N.

S. N. 4. N.R. N. 3 W. 2nd Mer. Sec. 4,

- | | |
|-------|---|
| 40.00 | Set a trap. 1/4 apart for the cor. to 1/4 sec. |
| 80.00 | Set a trap. 1/4 apart from the cor. of sec. 31. 133. S. N. 5. N. R. N. 3. N. Sand hills and bushy timber. Oaks & Hickory |

- | | |
|-------|--|
| East | On a Random line on the South Boundary of sec. 32. S. N. 5 R. N. 3. N. |
| 40.00 | Set a trap. 1/4 apart for the cor. to 1/4 sec. |
| 80.00 | Set " " " " " " to Line 32. 133. S. N. 5. N. R. N. 3. N. Sandstone as on the last mile. |

- | | |
|-------|---|
| East | On a Random line on the South Boundary of sec. 33. S. N. 5. N. R. N. 3. N. |
| 40.00 | Set a trap. 1/4 apart for the cor. to 1/4 sec. |
| 80.00 | " " " " " " Sec. 33. 134. S. N. 5. N. R. N. 3. N. Sand hills, timber Oaks & Hickory. |

- | | |
|-------|--|
| East | On a Random line on the South Boundary of sec. 34. S. N. 5. N. R. N. 3. N. |
| 21.50 | To a Brook 25 miles wide, course South. |
| 40.00 | Set a trap. 1/4 apart for the cor. to 1/4 sec. |
| 55.00 | To a Brook. 10 miles wide, course E. N. |
| 80.00 | Set a trap. 1/4 apart from the cor. of sec. 34. 135. S. N. 5. N. R. N. 3. N. Sand stone as the last mile. |

- | | |
|-------|--|
| East | On a Random line on the South Boundary of sec. 35 S. N. 5. N. R. N. 3. N. |
| 40.00 | Set a trap. 1/4 apart for the cor. to 1/4 sec. |
| 80.00 | Set a trap. " " " " " Sec. 35. 136. S. N. 5. N. R. N. 3. N. |

- | | |
|------|---|
| East | On a Random line on the South Boundary of sec. 36. S. N. 5 R. N. 2. N. |
| 8.69 | To a Brook 10 miles wide, course South. |

S. N. 4. T. R. N. 3 M. 2nd Mar And.

- 40.00 Set a trapst post for the cor. to 1/4 ac.
Is a Brook. 15 ft. long wide, comes -
into left the 158 Mangs in between Range. 213. M.
South of the Town cor.
Lands nothing. Smitw Poplar, Oak, & Hick.

- West On the tree line on the South Boundary of Sec. 36. T. R. 5.
N. H. N. 3 M. Mar. 7. 18
40.00 Set the trapst post on the tree line for the cor. to 1/4 ac. from
which no bearing
80.00 Set the trapst post on the tree line for the cor. to sec. 35.36.
from which a Buck. 20 in. ear. bears S 56 E. 21 lbs. dead
made a Deer 8" " " N 23 E 17" "

- West On the tree line on the South Boundary of sec. 35. T. R.
5 T. R. N. 3 M.
40.00 Set the trapst post on the tree line for the cor. to 1/4 ac. from
which a W. Oak. 20 in. ear. bears N 30 M. 55 lbs. dead;
made a W. Oak. 40" " " N 7 M. 42" "
80.00 Set the trapst post on the tree line for the cor. of sec. 34.35
from which a Dogwood 10 in. ear. bears S 19 M. 19 lbs. dead
made a Buck 8" " " N 85 M. 23" "

- West On the tree line on the South Boundary of sec. 34. T. R.
5 T. R. N. 3 M.
40.00 Set the trapst post on the tree line for the cor. to 1/4 ac.
from which a W. Ash. 12 in. ear. bears S 79 M. 19 lbs. dead
made an Ironwood 6" " " S 45 E. 13" "
80.00 Set a post for the cor. of sec. 33.34 on the tree line.
from which a Sugar 5 in. ear. bears S 8 E. 6 lbs. dead
made a Buck 10" " " N 11 M. 15" "

- West On the tree line on the South Boundary of sec. 33. T. R. 5

P. P. H. R.R. N. D. Y. 2nd Mrs. India.

- 40.00 Set the traps first on the tree line for the cor. to $\frac{1}{4}$ sec. from which a Beech - 11 in. dia. bears N $74^{\circ}17'18''$ latitude; made a Do. 12, " . N $27^{\circ}31'11''$
- 80.00 Set the traps first on the tree line for the cor. to Post. 33 S. 33 T. N. $5^{\circ}17'11''$ from which a Beech 9 in. dia. bears S $37^{\circ}32'18''$ latitude; made an other 7, " . N $39^{\circ}24'11''$

West On the tree line On the South Boundary of sec. 32 & T. N. $5^{\circ}17'11''$ N. $27^{\circ}31'11''$.

- 40.00 Set the traps first on the tree line for the cor. to $\frac{1}{4}$ sec. from which a B. Oak 13 in. dia. bears S $15^{\circ}17'30''$ latitude; made a W. Oak 24, " . S $44^{\circ}E.36'11''$
- 80.00 Set a post (trap) on the tree line for the cor. to sec. 31 & T. from which a B. Oak 8 in. dia. bears N $83^{\circ}E.18'$ latitude; made a Do. 8, " . N $60^{\circ}17'35'11''$

Post On the tree line on the South Boundary of sec. 31 & T. N. $5^{\circ}17'11''$ N. $27^{\circ}31'11''$.

- 40.00 Set the traps first on the tree line for the cor. to $\frac{1}{4}$ sec. from which a B. Oak 20 in. dia. bears N $65^{\circ}17'41''$ latitude; made a W. Oak 10, " . N $82^{\circ}17'18'11''$
- 85.09 Set the cor. of Toms 4, 4, 15, 5. N.P. S. 3. & 4. N.P.

West Boundary.

I 40

- North** On the East Boundary of sec. 24 S. N. $4^{\circ}17'11''$ N.R.M. 24 N.P.
- 40.00 Set the Old $\frac{1}{4}$ sec. cor.
- 80.00 Set a post for the cor. to Sec. 13 & 24 from which a Popla 10 in. dia. bears S $45^{\circ}E.8'$ latitude; made a Beech 10, " . N $27^{\circ}17'14'11''$
- Sands hilly made (Brushy)

North On the East Boundary of sec. 13. S. N. $4^{\circ}17'11''$ N.R.M. 14 N.P.

38

271

D. N. 4. M. P. N. 3 M. 2nd Mer. Ind.

| | |
|-------|--|
| 40.00 | Set a post for the cor. to $\frac{1}{4}$ mi. from which a Dogwood 6 mi. dist. bears S86°26' miles dist; & a do. 8" " 18°77.9" " |
| 80.00 | Set a post for the cor. of Sec. 12 1/2 from which a Barn 10 mi. dist. bears N53°17.28 miles dist; and a do. 30" " North 28" " Same same as on the last mile. |

| | |
|-------|---|
| North | On the East Boundary of sec. 12. I. N. 4. M. P. N. 4 N. |
| 8.51 | To a N. Oak 12 mi. dist. same as the last. |
| 40.00 | Set a post for the cor. to $\frac{1}{4}$ mi. from which a N. Oak. 10 mi. dist. bears S36°E. 31 miles dist; & a Dogwood 8" " N36°N. 24" " |
| 80.00 | Set a post for the cor. of Sec. 1. & 1/2 from which a Dogwood 6 mi. dist. bears S3 E. 17 miles dist. Same soil and timber same as last mile. |

| | |
|-------|---|
| North | On the East Boundary of sec. 1. I. N. 4. M. P. N. 4 N. |
| 17.50 | To a N. Oak 12 mi. dist. in the line. |
| 40.00 | Set a post for the cor. to $\frac{1}{4}$ mi. from which a Dogwood 7 mi. dist. bears S25°E. 9 miles dist; & a N. Oak. 10" " N69°N. 12" " |
| 80.00 | Set a post for the cor. of Twp 4. 4. & 5. 5. M. P. 3 1/4 N. from which a N. Oak. 12 mi. dist. bears N32°E. 11 miles dist; and a Barn 8" " S06°E. 26" " Same soil and timber same as the last mile. |

Subdivisions.

| | |
|-------|---|
| North | Between Sec. 35 & 36 I. N. 4 M. P. N. 3 N. |
| 40.00 | To the Old post set for the cor. to $\frac{1}{4}$ mi. |
| 80.00 | Set a post for the cor. to Sec. 35 & 36 from which a Birch 24 mi. dist. bears S15°N. 15 miles dist; and a |

P. P. H. M. N. & W. 2nd Min. Land

Buck. 12 mi dist. bears N 47° 77.28 minutes west;
Sands hilly; Timber Oak, 1 Buck, 10

- West Between Sec. 26 & 35 T. N. 4 N. R. 37 E.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. 50 units East of the C.R.
 $\frac{1}{4}$ sec. cor.
80.00 To a sugar 12 mi dist. stands for the cor. of sec. 20, 27.
34 & 35, on Left Bank of White River.

- East On a Random line between Sec. 25 & 36. T. N. 4 N. R. 37 E.
40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
81.00 Set to set the N & S line 9.5 units North of the post cor. of
Sec. 25 & 36. Sands hilly and stony; timber the same
as last mile; thin scrub.

- West On the true line between Sec. 25 & 36 T. N. 4 N. R. 37 E.
40.50 Set the temporary post at the a.m. met on the true line for
the cor. to $\frac{1}{4}$ sec. from which a
Buck 10 mi dist. bears N 61° 77.10 minutes west; and a
Hd. 8, " " S 21 E. 9, "
81.00 To the cor. of sec. 25, 26, 35 & 36.

- North Between Sec. 25 & 36. T. N. 4 N. R. 37 E.
28.25 To a sugar 12 mi dist. stands on the line
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Dogwood 6 mi dist. bears S 65° 77.6 minutes west; to
Buck. 6, " " S 37 W. 12, "
66.90 To a Buck 20 mi dist. in the line.
80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which a
Dogwood 8 mi. dist. bears S 35° 77.12 minutes west; and a
Hd. 7, " " N 49 W. 4, "
Sands hilly; Timber Buck, Oak, & Hickory

273

S. N. 4. N. R. N. 3 M. 2nd Nov. Ind.

| | |
|------|--|
| East | Between Sec. 24 & 25. T. N. 4. R. N. 3 M. To a Mulberry 12 m. dist. stands for the cor. of sec. 24 & 25 on the Left Bank of White River. Same as last mile. |
|------|--|

| | |
|-------|--|
| North | Between Sec. 23 & 24 T. N. 4. R. N. 3 M. Set a post for the cor. to $\frac{1}{4}$ ac. from which a Sumach 7 m. dist. bears S 10 E. 39 miles dist; & Buck 12 " " N 32 E. 24 " " To a Buck 12 m. dist. in the line. Set a post for the cor. of sec. 13 & 14. 23 & 24 from which a Buck 10 m. dist. bears S 63 M. D 3 miles dist; and a Maple 10 m. dist. bears N 46 E. - both dist. far. Same as the same as on the last mile. |
|-------|--|

| | |
|-------|--|
| North | Between Sec. 13 & 14 T. N. 4. R. N. 3 M. Set a post on the Left Bank of White River for the cor. of fract. Sec. 13 & 14 from which a Maple 10 m. dist. bears N 46 E. - both dist. far. Elm 10 " " S 24 M. 31 " " Same here and there; |
|-------|--|

| | |
|------|--|
| East | Between Sec. 13 & 24 T. N. 4. R. N. 3 M. To an Elm 12 m. dist. which stands for the cor. to fract. Sec. 13 & 24. Same the same as on the last mile. rich & low Inn. Walnut, ash, & Poplar H. J. Spivey wood. |
|------|--|

| | |
|------|--|
| West | Between Sec. 14 & 23 T. N. 4. R. N. 3 M. To a sugar 10 m. dist. in the line. Set a post for the cor. to $\frac{1}{4}$ ac. from which a Sugar 10 m. dist. bears N 72 E. 39 miles dist; & Oak 9 " " S 28 M. 16 " |
|------|--|

J. N. 4. M.R. N. 377. 2nd. Mar. 1882.

73.57 Set out Elm 13 in. dia. stands for the cor. of elev.
14 & 23 on the River Bank

West Between Lot 23 & 26 J. N. 4. M.R. N. 377.

40.00 Set a post for the cor. of 1/4 ac. from which a
Beech 13 in. dia. bears S $\frac{1}{2}$ E. 43 links west; to
N. 7 " " N 89 $\frac{1}{2}$ W. 22 "

*58.00 Set a post on the Left Bank of White River for the
cor. of sec. 23 & 26 from which a
Beech 20 in. dia. bears S $\frac{1}{2}$ E. 35 links west; to an
Elm 20 " " N 14 E. 20 "
Lands rolling; Juniper Oak, Beech & Poplar.

West Between Lot 13 & 24 J. N. 4. M.R. N. 377

40.00 Set a post for the cor. to 1/4 ac. from which a
Gum 12 in. dia. bears S $\frac{1}{2}$ E. 22 links west; to
Beech 12 " " N 52 $\frac{1}{2}$ W. 29 "

55.70 Set a post on the Left Bank of White River for the
cor. of fract. Lot 13 & 24 from which an
Elm 12 in. dia. bears N 54 $\frac{1}{2}$ W. 6 links west; and a
Juniper 6 " " S $\frac{1}{2}$ E. 9 " "
Lands hilly and Brushy

West Between Lot 24 & 25 J. N. 4. M.R. N. 377.

40.00 Set a post for the cor. to 1/4 ac. from which a
Maple 6 in. dia. bears N 49 E. 7 links west; to an
Amur 6 " " N 27 W. 11 "

47.00 Set a post on the Right Bank of White River for
the cor. of fract. Lot 24 & 25 from which a
Beech 24 in. dia. bears South 15 links west; to
N. 0. 6 " " N 82 $\frac{1}{2}$ W. 15 "
Lands hilly and Rich.

*Perhaps 48.00 due is intended

P. N. 4. M.P. No 3 N. 2nd Mer Ind.

North Between Sec. 26 & 27 S. N. 4. M.P. No 3 N.
40.00 Set a post for the cor. of 1/4 ac. from which
80.00 Set a post for the cor. of sec. 22, 23, 26 & 27 from which
a Bush 10 m. dist. bears S 30 E. 20 miles west; to
Loc 10, " " S 43 N. 28 "
Lands rock and rolling; South Beach, Saginaw

East Between Sec. 23 & 26 S. N. 4. M.P. No 3 N.
21.62 Set a post on the Right Bank of White River for
the cor. of sec. 23 & 26. from which on
Inward 6 m. dist. bears N 39 N. - the dist. to
Bush 6, " " S 24 E. 18, "
Lands same as in the last mile.

North Between Sec. 22 & 23. S. N. 4. M.P. No 3 N.
37.61 Set a post on the Rgt. Bank of White River for
the cor. of sec. 22 & 23. from which a
W. Ash 13 m. dist. bears N 67 N. 10 miles west; to
Lynn 6, " " S 67 E. 11, "
40.00 On an offset.
80.00 Set a post for the cor. of sec. 14 & 15 22 & 23. and the
Right Bank of White River from which a
W. Ash. 13 m. dist. bears S 49 E. 15 miles west; to
Bush. 12, " " S 76 N. 26, "
Lands same as in the last mile.

North Between Sec. 14 & 15 S. N. 4. M.P. No 3 N.
40.00 Set a post for the cor. of 1/4 ac. from which
80.00 Set a post for the cor. of sec. 10, 11, 14 & 15 from which
a Bush 13 m. dist. bears N 96 N. 21 miles west; to
Loc. 4, " " N 27 E. 20, "
Lands same as in the last mile.

P. N. 4. N. R. N. 3 W. 2nd Merd. Ind.

East On a random line between Sec. 11 & 14 T. M. 4
N. R. N. 3 W.

40.00 Set a tempt. post for the cor. of 1/4 sec.

80.00 Set a tempt. post for the cor. of sec. 11, 12, 13 & 14

East On a random line between Sec. 12 & 13 T. M. 4 N.
R. N. 3 W.

40.00 Set a tempt. post for the cor. to 1/4 sec.

80.80 Into set the Rd. 3 line 75 miles south of the
post cor. of sec. of sec. 12 & 13.

Sands silty and brushy Union Oak, Hickory
Poplar Red. do

West On the tree line between Sec. 12 & 13 T. M. 4 N. R.
N. 3 W.

40.20 Set the tempt. post on the tree line at the cor. with
for the cor. to the 1/4 sec. from which a. No bearings
taken

80.40 Set the tempt. post on the tree line for the cor. of
Sec. 11, 12, 13 & 14 from which a
Poplar 10 m. dist. bears S 2 E. 13 miles due; to
Loc. 10 " " S 46 T. 15 "

West On the tree line between Sec. 11 & 14 T. M. 4 N. R. N. 3 W.

40.20 Set the tempt. post at the cor. dist. on the tree
line for the cor. to the 1/4 sec. from which a
Gum 20 m. dist. bears S 36 E. 28 miles due; to
Loc. 12 " " N 55 W. 15 "

80.40 To the post cor. of Sec. 10, 11, 14 & 15.

South Between Sec. 13 & 14 T. M. 4 N. R. N. 3 W.

40.00 Set a post for the cor. to 1/4 sec.

53.38 Set a post on the Right Bank of Mat River for the

277

S. N. 4 T.R. No 3 W. 2nd Mer. Ind.

cor of sec. 13 & 14 from which a
Sycamore 10 in. dia. bears \$24. 77. 13 miles west to
W. Oak 10, " " 481 E. 4 " "
Sand hills and bushy

| | |
|-------|--|
| North | Between Sec. 11 & 12 S. N. 4 T.R. No 3 N. 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a Sycamore 10 in. dia. bears \$57. 81 13 miles east; to Beech 12, " " 85. 77. 12, " |
| | Iron Brook 150 miles west, Come Wash. Set a post for the cor. of sec. 1, 2, 11 & 12 from which a Beech 6 in. dia. bears \$44. 61 E. 13 miles east; to a Dog 20, " " 96. 17. 7 " " Same same as in the last mile. |

| | |
|------|--|
| East | On a random line between Sec 14 & 15 T. N. 4 N. R. N. 3 W. 30.00 Iron Brook 130 miles east Come Wash. 40.00 Set a trap. 1 post for the cor. to $\frac{1}{4}$ sec. 80.00 Intersect the N & S line 30 miles North of the post cor of sec. 1 & 12 Same as in the last mile |
|------|--|

| | |
|------|---|
| West | On the line between Sec 14 & 15 T. N. 4 T.R. 3 N. 40.00 Set the trap. 1 post at the con. of the two lines for the cor. to $\frac{1}{4}$ sec. from which a Beech 30 inches dia. bears South 10 miles west; 80.00 To the post set for the cor. of sec. 1, 2, 11 & 12. |
|------|---|

| | |
|-------|---|
| North | Between Sec. 10 & 11 S. N. 4 T.R. No 3 N. 25.00 To a Brook 150 miles west, Come Wash. 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a W. Oak 12 in. dia. bears \$54. 77. 4 miles west to Beech 10 " " 85. 4 E. 12, " |
|-------|---|

S. N.^o 4 N.R. N.^o 3 N. 2nd Mer. (Ind.)

| | |
|-------|---|
| 43.00 | To the above named Brook 150 miles wide, comes E. |
| 66.00 | " " Same " " 150 " " W. |
| 80.00 | Set a post for the cor. of sec. 2, 3, 10 & 11 from which a Maple 12 in. dia. bears N 15° E. 19 miles dist; & Beech 8" " S 15° W. 5" " |
| | Sands soil and timber same as on the last mile. |

| | |
|-------|---|
| East | On a Random line between Sec. 2 & 11 S. N. ^o 4 N.R. N. 3 N. |
| 12.50 | To a Brook 150 miles wide Comes South. |
| 32.00 | " said Do. 150 " " " N.W. |
| 40.00 | Set a tempt post for the cor. to 1/4 sec. |
| 80.60 | Intersect the N. & S' line 12 miles South of the post cor. of sec. 1, 2, 11 & 12 |
| | Sands soil and timber same as on the last mile |

| | |
|-------|--|
| West | On the true line between Sec. 2 & 11 S. N. ^o 4 N.R. N. 3 N. |
| 40.31 | Set the tempt post at the cor. dist on the true line from the cor. to 1/4 sec. from which a |
| | Beech 10 in dia. bears S 65° E. 7 miles dist; to Do. 8" " N 33° E. 18" " |
| 80.60 | To the post cor. of sec. 2, 3, 10 & 11. |

| | |
|-------|---|
| North | Between Sec. 27 & 28 S. N. ^o 4 N.R. N. 3 N. |
| 40.00 | Set a post for the cor. to 1/4 sec. from which a Poplar 10 in dia. bears S 21° E. 13 miles dist; to Beech 10 " " N 15° W. 19" " |
| 80.00 | Set a post for the cor. of sec. 21, 22, 27 & 28. From which a Gum 20 in dia. bears S 23° E. 47 miles dist; to Sands hilly and brushy; Limin Oak, Beech to |

| | |
|-------|--|
| East | On a Random line between Sec. 22, 27 S. N. ^o 4 N.R. N. 3 N. |
| 40.00 | Set a post (tempt) for the cor. of 1/4 sec. |
| 44.00 | To a Brook 10 miles wide, comes South. |

279

I. N^o 4. N.R. N^o 377. 2nd Mer. Ind.

81.12 Interspersed the N.B.S. line 143 miles North of the first cor. of sec. 22, 23, 26 & 27.
Same as on the last mile.

West On the true line between Sec. 22 & 27 I. N^o 4 N.R. N^o 377.
Set the trumpet post at the corner. Wish on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Hoggarrod - in deer tracks \$60 N.W. 10 miles west; to
— " " " N65 E 12 " "
81.17 To the first cor. of sec. 21, 22, 27 & 28.

North Between Sec. 21 & 22 I. N^o 4 N.R. N^o 377.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Buck 6 in deer tracks N15 E. 25 miles west; to
Do. 20, " " N377. 66 " "
53. 50 To a Poplar 20 m. west. Stand on the line.
57.30 To a Brook 10 miles west, Conne. N.W.
80.00 Set a post for the cor. of sec. 15, 16, 21 & 22. from which
a Buck 8 in. deer tracks \$35 E. 9 miles west, to
Do. 12, " " N577. 19, "
Same hilly and bushy

East On a random line between Sec 15 & 22. I. N^o 4.
N.R. N^o 377.
40.00 Set a trumpet post for the cor. of $\frac{1}{4}$ sec.
Interspersed the N.B.S. line 18 miles North of the cor.
of sec. 14, 15, 22 & 23.
Same as on the last mile

West On the true line between Sec 15 & 22 I. N^o 4 N.R. N^o 377.
40.20 Set the trumpet post at the corner. Wish on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Buck 20 in deer tracks \$65 E. 32 miles west; to

T. N^o. 4. M^lR. N^o. 3 T^l. 3rd Mer., Secd.^a,

- Augm 6 in dirt bears 8119 T. 8 miles dist;
8040 To the post cor. of sec. 15, 16, 21 & 22

- North Between Sec. 15 & 16. T. N^o. 4. M^lR. N^o. 3 T^l.
- 4.50 To a Brook 150 links wide, Lemoine Marsh.
4.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
Buck 12 in dirt bears 8317 T. 19 miles dist; and so
do 10, " " 8398 T. 8, "
80.00 Set apart for the cor. of sec. 9, 10, 15 & 16 from which
W. Oak 10 in dirt bears 8308 T. 28 miles dist; and so
W. Oak 12, " " 8117 T. 9, "
Sand & soil same as in the last mile.

- East On a line between Sec. 10 & 15 T. N^o. 4. M^lR. N^o. 3 T^l.
- 4.00 Set a temp't post for the cor. of $\frac{1}{4}$ sec
50.00 To a Brook 150 links wide, Lemoine South.
60.00 To said Brook 150, " " comes from the N. come S.
80.80 Intersect the N. & S. line 23 miles North of the post
cor. of sec. 10, 11, 14 & 15
Soil same as in the last mile.

- West On the two lines between Sec. 10 & 15 T. N^o. 4. M^lR. N^o. 3 T^l.
- 40.40 Set the temp't post at the aver. dist on the two lines
for the cor. to the $\frac{1}{4}$ sec. from which a
B. Ash 12 in dirt bears N.Y. E. 13 links dist; & a
Beech 10, " " 8117 T. 31, ".
80.80 To the post cor. of sec. 9, 10, 15 & 16.

- North Between Sec. 9 & 10 T. N^o. 4. M^lR. N^o. 3 T^l.
- 4.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
Buck 6 in dirt bears 8338 T. 18 miles dist; & so
do 6, " " 8377 T. 19, "
40.50 To a Brook 25 links wide, Lemoine Marsh.

P. N^o 4 M^o R. N^o 3 Y^r 2nd Mar. Ind.

80.00 Set a post for the cor. of sec. 3, 4, 9 & 10 from which a
Sugar 10 m dist. bears S 33 E 10 miles due; and a
D. 12. " " S 65 N. 11. "
Lands same as the last mile.

East On Random line between Sw. 3 & 10 T. N^o 4 M^o R. N^o 3 Y^r
21.00 To a Brook 50 miles west, Conne Smith.
40.00 Set a temp^o post for the cor. of 1/4 sec.
80.50 Intercept the N & S line 30 miles North of the post cor.
of Sw. 2, 3, 10 & 11 Lands same as the last mile.

West On the true line between Sw. 3 & 10 T. N^o 4 M^o R. N^o 3 Y^r
40.25 Set the temp^o post at the aver. dist. on the true line
for the cor. to 1/4 sec. from which a
Beech 12 m dist. bears S 41 E. 26 miles due; & a
Hickory 10, " " S 1 E. 23 " "
80.50 To the post on the true cor. of sw. 3, 4, 9 & 10.

North Between Sec. 2 & 3 T. N^o 4 M^o R. N^o 3 Y^r
40.00 Set a post for the cor. of 1/4 sec. from which a
Beech 13 m dist. bears N 24 E. 37 miles due; & a
W. Oak 10, " " N 5 N. 30 " "
84.66 Intercept the North Boundary at the cor. of sec. 3 &
36 T. N^o 5 M^o R. N^o 3 Y^r.
Lands same as last mil.

North Between Sec. 1 & 2 T. N^o 4 M^o R. N^o 3 Y^r
40.00 Set a post for the cor. of 1/4 sec. from which a
Beech 10 m dist. bears S 17 N. 17 miles due; and a
D. 10, " " A 38 N. 28, "
61.00 To a Beech 20 m dist. on the line
84.95 Intercept the N Boundary 4 3 miles East of the
post cor. of sec. 35 & 36 T. N^o 5 M^o R. N^o 3 Y^r. & set a

J. N. 4. N. R. N. 3 W. 2nd Mer. Line.

Post for the cor. of sec. 1 & 2 from which a
Sugar 10 m. dist. bears S 10 E. 22 links dist; to
Buck 20 " " S 66 W. 24 "
Same as corning; timber Buck and Oak

North Between Sec. 3 & 4 J. N. 4. N. R. N. 3 W.
40.00 Set a post for the cor. of 1/4 sec. from which a
Sugar 12 m. dist. bears N 7 W. 13 links dist; and a
Hd. 12, " " N 20 E. 26, ".
84.37 Enter set the North Boundary 19 links N.E. of the
post cor. of sec. 3 & 4. J. N. 5 N. R. N. 3 W. & set a
post for the cor. of sec. 3 & 4. from which a
Hoggenrode 6 m. dist. bears S 16 W. 14 links dist; to
Buck. 10, " " N 44 E. 22, ".
Same same as on the last mile.

North Between Sec. 28 & 29 J. N. 4. N. R. N. 3 W.
40.00 To the Old 1/4 sec. Cor.
80.00 Set a post for the cor. of sec. 20, 21, 28, 129 from which a
W. Oak 20 m. dist. bears S 30 W. 15 links dist; to
Buck 10, " " N 39 W. 6, ".

West On a Random line between Sec. 20 & 29 J. N. 4. N. R. N. 3 W.
1.50 To a Brook 150 ft. wide, comes South.
40.00 Set a temporary post for the cor. of 1/4 sec.
81.00 Enter set the N & S line at the post cor. of sec. 19, 20, 29.
830 Same the same as on the last mile

East On the true line between Sec. 20 & 29 J. N. 4. N. R. N. 3 W.
40.50 Set the temporary post at the ave. dist on the true line for
the cor. of 1/4 sec. ~~from which~~ when the old 1/4 sec. cor. is
81.00 To the cor. of sec. 20, 21, 28 & 29.

T. N. 4. N. R. N. 3 off 2nd Mer. (Sud.)

East On a Random line between Sec. 21. & 28 T. N. 4. N. R. N. 3. N.
40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec.

45.00 To a Brook 10 miles n.w., Conne S. W.

81.00 Intercept the N & S line 40 miles North of the post. cor.
of sec. 21. 22, 27. & 28.

Sands rolling & Brushy

West On the true line between Sec. 21. & 28 T. N. 4. N. R. N. 3. N.
40.50 Set the temp. post at the avar. dist. on the true line
for the cor. to $\frac{1}{4}$ sec. from which a

Buck 10 in. ad. bears S 70° W. 13 miles dist. & aav.

Ebaw 18 " " S 84° E. 24 " "

81.00 To the post cor. of sec. 20. 21. 28. & 29.

North Between Sec. 20. & 21. T. N. 4. N. R. N. 3. N.

9.00 To a Brook 150 miles n.w., Conne S. W.

40.00 An Ashwood & no. ad. Woods for the cor. to $\frac{1}{4}$ sec.

79.00 To a Brook 57 miles n.w., Conne S. W.

80.00 Set a post for the cor. of sec. 16. 17. 20. & 21. from which a
B. Oak 10 in ad. bears S 67° W. 20 miles dist. and a
D. 10 " " N 11° W. 25 " "

Sands hilly, Timber Oak, & Hickory Buck &c.

East On a Random line between Sec. 16 & 21. T. N. 4. N. R.
N. 3. N.

40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec.

65.50 To a Brook 150 miles n.w., Conne S. W.

80.60 Intercept the N & S line 88 miles North of the post
cor. of sec. 15. 16. 21. & 22. Sands same ad. as last mile.

West Between Sec. 16 & 21. on a true line. T. N. 4. N. R. N. 3. N.

40.30 Set the temp. post at the avar. dist. on the true line fr.
the cor. to $\frac{1}{4}$ sec. from which a

I. N. 4. A. R. N. 3 N. 2nd Mar. (Ind.)

Bush 20 m. dia. bears N 10° E. 6 units deb;
80.00 To the post cor. of sw. 16. 17. 20 & 21.

North Between Sw. 16. & 17. I. N. 4. A. R. N. 3 N.

26.00 To a swamp

40.00 Set a post for the cor. of 1/4 ac. from which a
Poplar 6 in. dia. bears N 43° 37' 19" units deb; and a
Maple 8 " " S 41° E. 18 " "

47.00 To the North side of the swamp.

80.00 Set a post for the cor. of sw. 8. 9. 16 & 17. from which a
Sugar 12 in. dia. bears North 24 units deb; & a
73 Oak 20 " " N 34° N. 25 " "

East On a random line between Sw. 9. & 16. I. N. 4. A. R. N. 3 N.

40.00 Set a post trumpet for the cor. of 1/4 ac.

81.10 Intercept the Atch. 8 line 40 units North of the post cor.
of sw. 9. 10. 15 & 16. Lands same as on the last mile.

West On the tree line between Sw. 9. 16. I. N. 4. A. R. N. 3 N.

40.55 Set the trumpet post at the ave. dist. on the tree line for
the cor. to 1/4 ac. from which a
Gum 10 in. dia. bears East. 1 units deb;

81.10 To the cor. of sw. 8. 9. 16 & 17

North Between Sw. 8. & 9. I. N. 4. A. R. N. 3 N.

34.00 To a Brook 95 units wide, Curve West.

40.00 Set a post for the cor. of 1/4 ac. from which a
Beech. 10 in. dia. bears N 82° E. 12 units deb; and a
W. Oak 18 " " S 30° E. 12 " "

80.00 Set a post for the cor. of sw. 4. 5. 8. & 9 from which a
Sugar 10 in. dia. bears N 14° N. 24 units deb; & a
Pine 6 " " S 50° E. 7 " "
Lands soil and timber same as on the last mile.

S. N. H. M.R. N. 37. 2nd Mar. 1st a.c.,

- East On a random line between Sec. 4 & 9 T. N. 4. R. N. 37.
40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
149.571 To a Brook 18 miles n.w., corner South.
80.30 Intercept the N. 03 line 40 miles North of the post cor.
of sec. 3. 4. 9 & 10. Lands same as last mile.

- West On the true line between Sec. 4 & 9 T. N. 4. R. N. 37.
40.15 Set the temporary post at the corner. Then on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Dogwood 6 in. dia. bears S 33° E. 23 miles due S; to
Sugar 12, " " S 74° E. 37, "
80.30 To the post cor. of sec. 4. 5. 8. & 9.

- North Between Sec. 4 & 5 T. N. 4. R. N. 37.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
W. Oak 10 in. dia. bears N 2° E. 34 miles due S; to
Beech 10, " " N 79° E. 25, "
82.73 Intercept the N Boundary 25 miles West of the post
cor. of sec. 32 & 33 T. N. 4. R. N. 37. and set a post
for the cor. of sec. 4 & 5. from which an
Elm 6 in. dia. bears N 37° E. 24 miles due S; and a
Sugar 12, " " N 67° W. 18, "
Lands low and timber same as on the last mile.

- North Between Sec. 19 & 20 T. N. 4. R. N. 37.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
B. Oak 8 in. dia. bears S 11° E. 33 miles due S; and a
D. O. 6, " " S 46° W. 38, "
80.00 Set a post for the cor. of sec. 17. 18. 19 & 20 from which a
W. Oak 18 in. dia. bears S 14° W. 28 miles due S; and a
D. O. 10, " " N 54° E. 18, "
Lands hilly, thin soil and very brushy; timber
Oak, & Birch.

(P. N. & N.R. No. 377, 2nd M., Ind.)

| | |
|-------|---|
| Mile | Betw. Sec. 18 & 19 I. N. 4, N.R. N. 377. |
| 40.00 | Set a post for the cor. of $\frac{1}{4}$ mi. from which a Sugar 12 in. dia. tree N 63 W. 31 links dist; & to Gum 7, " " N 17 W. 22, " |
| 56.00 | To a Brook 14 links mid., comes South. |
| 80.33 | Set a post on the West Boundary 100 links South of the post cor. of sec. 13 & 24. I. N. 4 N.R. N. 477, from which a W. Oak 20 in. dia. tree S 24 E. 14 links dist; and to Loc. 12, " " S 34 W. 21, " |
| | Landrolling Timb. Oak, & Hick., |

| | |
|-------|--|
| East | On a Random line between Sec. 17 & 20 I. N. 4, N.R. 377. |
| 40.00 | Set a temp. post for the cor. of $\frac{1}{4}$ mi. |
| 80.80 | Intersect the N. & S. line 45 links North of the post cor. of sec. 16, 17, 20 & 21. Land same as last mile. |

| | |
|-------|--|
| West | On the true line between Sec. 17 & 20. I. N. 4, N.R. 377. |
| 40.40 | Set the temp. post at the cor. dist on the true line for the cor. to $\frac{1}{4}$ mi. from which a Buck. 10 in. dia. tree N 88 W. 49 links dist; and to Loc. 10, " " N 74 E. 50, " |
| 80.80 | To the post cor. of sec. 17, 18, 19 & 20. |

| | |
|-------|--|
| North | Betw. Sec. 17 & 18 I. N. 4, N.R. N. 377. |
| 40.00 | Set a post for the cor. to $\frac{1}{4}$ mi. from which a Sugar 12 in. dia. tree N 70 E. 33 links dist; & to W. Oak 12, " " S. 57 W. 32, " |
| 80.00 | Set a post for the cor. of sec. 17, 18, 19 & 20 from which made the cor. on a W. Oak 8 in. dia. Land same as on the last mile. |

| | |
|-------|--|
| East | On a Random line between Sec. 8 & 17 I. N. 4 N.R. 377. |
| 40.00 | Set a temp. post with the Random line for $\frac{1}{4}$ mi. cor. |

S. N. 4. N. R. N. 3. W. 2. Mer. And.

- 57.00 To a Brook 57 miles west, Conne Lkts.
 80.76 Intersect the Atchison 54 miles North of the post cor
 of sec. 8, 9, 16, 17. Same as last mile.

- West On the two line between Sec. 8, 17 S. N. 4. N. R. N. 3. W.
 40.38 Set the trumpet post at the cross. dist. on the two line
 for the cor. to $\frac{1}{4}$ mi. from which a
 Poplar 8 in. diam. bears West. 43 miles dist.;
 80.76 To the post cor. of sec. 7, 8, 17 & 18.

- North Between Sec. 7 & 8 S. N. 4. N. R. N. 3. W.
 100.00 Set a post for the cor. to $\frac{1}{4}$ mi. from which a
 Sugar. 8 in. diam. bears N 12 E. 25 miles dist; and a
 Buck 10. " " 827 E. 5. " "
 57.50 To a large Spring. Conne S.E.
 80.00 Set a post for the cor. of sec. 5, 6, 7, 8, from which a
 K. Oak. 10 in. diam. bears S 41 E. 46 miles dist; & a
 H. O. 12. " " 83 E. 65. " "
 Same hill, Limbs Oak, Buck, Hickory

- East On a road line between Sec. 5 & 8 S. N. 4. N. R. N. 3. W.
 27.50 To a Brook 10 miles west, Conne E.
 80.50 Intersect the Atchison 40 miles North of the post cor. of
 Sec. 4, 5, 8 & 9. Same as the last mile.

- West On the two line between Sec. 5 & 8 S. N. 4. N. R. N. 3. W.
 40.25 Set the trumpet post at the cross. dist. on the two line for
 the cor. to $\frac{1}{4}$ mi. from which a
 H. Oak. 10 in. diam. bears N 37 W. 18 miles dist; &
 Hickory 10. " " 822 W. 15. " "
 80.50 To the post cor. of sec. 5, 6, 7 & 8.

- North Between Sec. 5 & 6 S. N. 4. N. R. N. 3. W.

T. N^o 4 R. P. R. N^o 3 Y. Dnd Month And⁹

| | |
|--------|---|
| 400.00 | Set a post from the cor. to $\frac{1}{4}$ sec. from which a Dogwood 6 in. dia. bears S10E. 16 links dist; and so N. 0° E. " " S157°. 17. " |
| 63.50 | To a W. Oak 20 in. dia. in the line |
| 81.30 | Set a post on the N. Boundary 36 links West of the post on or few ft. N. of T. N ^o 4 R. P. R. N ^o 377. from which a W. Oak 18 in. dia. bears S51E. 16 links west; & to W. Oak. 18. " " S78. 33. " Same as soil and timber same as on the last mile. |
| | |

| | |
|-------|---|
| West | Retroin Sec. 6 & 7. T. N ^o 4 R. P. R. N ^o 377. |
| 40.00 | Set a post from the cor. of $\frac{1}{4}$ sec. from which a Dogwood 6 in. dia. bears N28°. 18 links dist; & to W. Oak. 12. " " N44E. 10. " |
| 84.00 | Set a post on the West Boundary 25 links South of the cor. of sec. 10 & 13. T. N ^o 4 R. P. R. N ^o 477. from which a Dogwood 6 in. dia. bears N78. 7 links dist; and so W. Oak. 20. " " S13E. 17. " Same as soil and timber same as last mile. |

| | |
|-------|--|
| West | Retroin Sec. 7 & 18 T. N ^o 4 R. P. R. N ^o 377. |
| 40.00 | Set a post from the cor. of $\frac{1}{4}$ sec. from which a W. Oak 20 in. dia. bears N62. 78 links dist; and so to a Hickory 12 in. dia. stands on the line. |
| 47.50 | |
| 83.10 | To the cor. of sec. 12 & 13. T. N ^o 4 R. P. R. N ^o 477. on the W. Boundary. Same as soil and timber. Set them |

| | |
|-------|--|
| | Measures of the Left Bank of White River. Commencing in the Indiana Boundary line in Sec 26. T. N ^o 4 R. P. R. N ^o 377. thence up stream |
| N35E | 31.60 |
| N14E. | 16.50 |
| N28W | 19.10 To post on line of Ad. 23826. |

I P. 4. N.R. N. 37. 2nd Mer. Ind.

| | | |
|---------|-------|---------------------------------------|
| N 26 N | 36.10 | |
| N 36 N | 18.50 | In sec. 23 Left Bank |
| N 6 W. | 19.30 | |
| N 37 E. | 14.40 | To post in line of lot. 14.023. three |

| | | |
|---------|-------|---------------------------------------|
| N 41 E. | 18.50 | |
| N 63 E. | 17.10 | In sec. 14 Left Bank |
| N 84 E. | 23.65 | |
| S 86 E. | 21.00 | To post in line of lot. 14.073. three |

| | | |
|---------|-------|--|
| S 58 E. | 6.80 | in sec. 13 Left Bank |
| S 18 E. | 13.00 | To post in line of lot. 13 & 24. three |

| | | |
|---------|-------|---|
| S 37 E | 23.80 | |
| S 4 E. | 48.70 | In sec. 24 Left Bank. |
| S 42 E. | 8.50 | To post in the line of lot. 24. & 25. three |

| | | |
|---------|--------------|---|
| S 42 E. | <u>10.40</u> | *Perhaps 10.40 as it would then close |
| S 62 E. | 23.50 | |
| S 84 E. | 10.50 | |
| N 77 E. | 12.00 | To the post in the East Boundary of sec. 25 |

I P. 4 N.R. N. 37

Right Banks upstream from old boundary

| | | |
|--------|-------|---------------------------------------|
| N 33 E | 14.50 | in Sec. 26 |
| N 39 E | 18.00 | |
| N 13 E | 13.00 | |
| N 22 W | 9.50 | |
| N 31 W | 10.34 | to line between Sec. 23 & 26 |
| N 28 W | 33.00 | in Sec. 23 |
| N 36 W | 10.42 | to line between Sec. 22 & 23 |
| N 35 W | 6.00 | in Sec. 22 |
| N 9 W | 25.00 | to so |
| N 32 E | 15.00 | to line Cor. of Sec. 14, 15, 22, & 23 |

| | |
|--------------|--|
| N41 E | 14.50 in Sec 14 |
| N51 E | 11.00 |
| N61 E | 13.00 |
| N71 E | 14.00 |
| N82 E | 16.50 |
| N86 E | 15.50 |
| <u>N80 E</u> | <u>6.85 to line between Sec. 13 & 14</u> |
| N68 E | 5.50 in Sec 13 |
| N61 E | 16.50 |
| <u>S27 E</u> | <u>12.50</u> |
| <u>S29 W</u> | <u>4.19 to line between Sec. 13 & 24</u> |
| S29 W | 25.50 in Sec 24 |
| S9 E | 5.00 |
| S4 E | 36.50 |
| S14 E | 7.00 |
| <u>S30 E</u> | <u>7.50 to line between Sec. 24 & 25</u> |
| S40 E | 9.00 in Sec. 25 |
| S50 E | 5.50 |
| S60 E | 12.50 |
| S75 E | 8.50 |
| S85 E | 7.00 |
| <u>S75 E</u> | <u>11.45 to post in Range line</u> |
| N41 W | 7.00 from post on Range line E. side Sec. 24 |
| N30 W | 13.00 |
| N8 W | 5.00 |
| N39 E | 7.00 |
| N57 E | 8.96 to post on Range line E. side Sec. 24 |

I certify that the foregoing transcript of the field notes
of Township No. 4, North of Range No. 3 West of
the 2nd Mer. Indiana, has been compared with the original
notes in this Office, and found to be correct.

Surveyor General's Office,

Cincinnati, Dec. 25. 1840

Q. Peck

Sur. Gen.